

**Table 2. Persons living with AIDS, by Ryan White CARE Act eligible metropolitan area of residence, as of December 2004: comparison of 3 methods**

Eligible metropolitan area	Ryan White CARE Act formula <sup>a</sup>		Reported <sup>b</sup>		Estimated <sup>c</sup>	
	No.	%	No.	%	No.	%
Atlanta, Georgia	7,504	3.2	8,855	3.1	9,557	3.2
Austin–San Marcos, Texas	1,534	0.6	2,008	0.7	2,032	0.7
Baltimore, Maryland	8,136	3.4	8,142	2.9	8,301	2.8
Bergen–Passaic, New Jersey	1,852	0.8	2,155	0.8	2,192	0.7
Boston–Brockton–Nashua, Massachusetts–New Hampshire (NECMA)	5,617	2.4	7,173	2.5	7,412	2.5
Caguas, Puerto Rico	725	0.3	721	0.3	691	0.2
Chicago, Illinois	10,324	4.4	11,807	4.2	13,141	4.4
Cleveland–Lorain–Elyria, Ohio	1,482	0.6	2,000	0.7	2,046	0.7
Dallas, Texas	5,282	2.2	7,062	2.5	7,114	2.4
Denver, Colorado	1,853	0.8	2,711	1.0	2,803	0.9
Detroit, Michigan	3,622	1.5	3,721	1.3	3,870	1.3
Dutchess County, New York	553	0.2	655	0.2	705	0.2
Fort Lauderdale, Florida	5,991	2.5	6,917	2.4	7,055	2.4
Fort Worth–Arlington, Texas	1,382	0.6	1,854	0.7	1,871	0.6
Hartford, Connecticut (NECMA)	1,911	0.8	2,295	0.8	2,233	0.8
Houston, Texas	8,157	3.4	9,546	3.4	9,608	3.3
Jacksonville, Florida	2,148	0.9	2,663	0.9	2,726	0.9
Jersey City, New Jersey	2,181	0.9	2,469	0.9	2,537	0.9
Kansas City, Missouri–Kansas	1,228	0.5	1,981	0.7	2,009	0.7
Las Vegas, Nevada–Arizona	1,915	0.8	2,248	0.8	2,257	0.8
Los Angeles–Long Beach, California	15,131	6.4	19,296	6.8	20,665	7.0
Miami, Florida	9,823	4.2	12,038	4.2	12,276	4.2
Middlesex–Somerset–Hunterdon, New Jersey	1,117	0.5	1,366	0.5	1,409	0.5
Minneapolis–St Paul, Minnesota–Wisconsin	1,266	0.5	1,788	0.6	1,829	0.6
Nassau–Suffolk, New York	2,623	1.1	3,062	1.1	3,180	1.1
New Haven–Bridgeport–Danbury–Waterbury, Connecticut (NECMA)	3,000	1.3	3,782	1.3	3,685	1.2
New Orleans, Louisiana	3,164	1.3	3,661	1.3	3,665	1.2
New York, New York	48,155	20.4	55,636	19.6	57,664	19.5
Newark, New Jersey	6,066	2.6	6,500	2.3	6,725	2.3
Norfolk–Virginia Beach–Newport News, Virginia	1,996	0.8	2,081	0.7	2,246	0.8
Oakland, California	2,615	1.1	3,532	1.2	3,666	1.2
Orange County, California	2,036	0.9	3,058	1.1	3,140	1.1
Orlando, Florida	3,450	1.5	3,791	1.3	3,921	1.3
Philadelphia, Pennsylvania–New Jersey	9,649	4.1	11,030	3.9	11,557	3.9

**Table 2. Persons living with AIDS, by Ryan White CARE Act eligible metropolitan area of residence, as of December 2004: comparison of 3 methods (*cont*)**

Eligible metropolitan area	Ryan White CARE Act formula <sup>a</sup>		Reported <sup>b</sup>		Estimated <sup>c</sup>	
	No.	%	No.	%	No.	%
Phoenix–Mesa, Arizona	2,910	1.2	2,945	1.0	2,910	1.0
Ponce, Puerto Rico	1,032	0.4	1,271	0.4	1,250	0.4
Portland–Vancouver, Oregon–Washington	1,447	0.6	1,987	0.7	2,013	0.7
Riverside–San Bernardino, California	2,871	1.2	3,946	1.4	4,121	1.4
Sacramento, California	1,066	0.5	1,384	0.5	1,455	0.5
St Louis, Missouri–Illinois	1,876	0.8	2,619	0.9	2,675	0.9
San Antonio, Texas	1,584	0.7	2,131	0.8	2,164	0.7
San Diego, California	4,007	1.7	5,463	1.9	5,658	1.9
San Francisco, California	6,265	2.6	7,873	2.8	10,065	3.4
San Jose, California	992	0.4	1,521	0.5	1,544	0.5
San Juan–Bayamon, Puerto Rico	6,149	2.6	6,297	2.2	6,198	2.1
Santa Rosa, California	445	0.2	734	0.3	747	0.3
Seattle–Bellevue–Everett, Washington	2,408	1.0	3,459	1.2	3,526	1.2
Tampa–St Petersburg–Clearwater, Florida	3,947	1.7	4,571	1.6	4,708	1.6
Vineland–Millville–Bridgeton, New Jersey	384	0.2	413	0.1	418	0.1
Washington, DC–Maryland–Virginia–West Virginia	11,890	5.0	15,213	5.4	15,756	5.3
West Palm Beach–Boca Raton, Florida	3,757	1.6	4,310	1.5	4,387	1.5
<b>Total<sup>d</sup></b>	<b>236,516</b>	<b>100.0</b>	<b>283,741</b>	<b>100.0</b>	<b>295,381</b>	<b>100.0</b>

Note. NECMA indicates New England County Metropolitan Area.

<sup>a</sup> Includes persons reported to CDC from January 1995 through December 2004.

<sup>b</sup> Includes persons reported to CDC from the beginning of the epidemic through December 2004 whose vital status was “alive” as of December 2004. Excludes persons whose vital status was unknown.

<sup>c</sup> These numbers do not represent reported case counts. Rather, these numbers are point estimates of persons living with AIDS, which result from adjustments of reported case counts. The reported case counts are adjusted for reporting delays. Includes cases diagnosed and deaths that occurred from the beginning of the epidemic through December 2004 and that were reported through June 2005.

<sup>d</sup> Because column totals were calculated independently of values for the subpopulations, the values in each column may not sum to the column total.